

## **FieldLazer**™

**Professional Field Marking Equipment** 



# There is nothing like a Graco<sup>®</sup> field marking machine

Welcome to the world of Graco airless field marking.

In 2004, Graco revolutionized field marking with the introduction of the original FieldLazer striper, the first walkbehind field marker utilizing proven Graco high-pressure airless paint spray technology.

FieldLazer field marking machines have been recognized worldwide by sport turf maintenance professionals for delivering brighter, longer-lasting lines with less paint.

Now, the FieldLazer product family has evolved to a full product line-up for all your field marking needs.

Stride, Ride, Glide...You Decide!™



m.graco.com/FieldLazerVideo





# STRIDE · RIDE · GLIDE TO STRIDE · YOU DECIDE

### FieldLazer STRIDE

Walk-behind field marking equipment for sporting facilities with fewer fields, or field maintenance crew members who prefer to walk.

FieldLazer S100 and S200 walk-behind stripers feature durable, lightweight construction for effortless straight lines over even the roughest terrain.



### FieldLazer RIDE

Ride-On field marking equipment for sporting facilities with a larger number of fields, smaller crew, or an emphasis on reducing operator fatigue.

FieldLazer R300 ride-on striping system is an intuitive, low impact, low vibration option to produce bright, straight lines over even the roughest terrain.



### FieldLazer GLIDE

This is the industry's *first* all-inone *Stand-On Self-Propelled* field marking machine for sporting facilities with a larger number of fields, smaller crew, or an emphasis on reducing operator fatigue. FieldLazer G400 stand-on striping system is an intuitive, low impact, low vibration option to produce bright, straight lines over even the roughest terrain.



### Features found only on a *Graco* field marking machine



- Reduced paint consumption vs. low pressure systems
- Coats both sides of the grass blade in a single pass

### **Endurance**<sup>™</sup> **Pump**

Graco's *Endurance Pump* is the most rugged and reliable pump on the market today. This field proven design with long-life *V-Max Blue* packings, *Chromex* rod delivers superior reliability and life.







A proven workhorse engine powers the FieldLazer family of products.

Honda Engine – Reliable, advanced technology engines feature lightweight, low vibration, low noise, and fuel efficient performance that is easy to use and maintain.



### **Engineered Turf Tires**

Whether you choose to *STRIDE*, *RIDE*, or *GLIDE*, each FieldLazer model is engineered with turf specific tires to reduce vibration and fatigue while producing long, straight lines – even over the roughest terrain.



### The G4 Difference... We Build It. We Back It. Period.



### QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Graco delivers the industry's first choice for field marking machines, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and excellent on-the-job productivity. Designed to exceed the field maintenance professional's standards for quality and performance, turn to Graco field marking machines as your field grows.

### **PROVEN QUALITY**

Each FieldLazer machine boasts Graco quality and dependability that you can count on. For more than 85 years professionals worldwide have turned to Graco for unmatched quality.

### **MAXIMUM PERFORMANCE**

FieldLazer machines are engineering to deliver maximum performance for efficient field marking.

### **INDUSTRY LEADING WARRANTY**

Every FieldLazer machine is backed by Graco's unmatched 3 year warranty and network of over 700 authorized warranty repair locations in North America.

### **UNMATCHED PRODUCTIVITY**

Superior design, innovative technology means you'll be getting the highest productivity in the field striping machine -only from Graco.



FieldLazer \$100

PART #:

248942

0.023

0.50 (1.9)

900 (62)

80 (36)

35cc, 4-stroke

DESCRIPTION

FieldLazer S100

**SPECIFICATIONS:** MAX TIP SIZE:

MAX GPM (LPM):

MAX PSI (BAR):

WEIGHT LB (KG):

**HONDA GX** 

**ENGINE:** 



### FieldLazer \$100

Introduced in 2004, the original **FieldLazer** striper was the first walk-behind field marker utilizing proven Graco high-pressure airless paint spray technology. It is now recognized by field marking professionals as one of the top walk-behind field marking machines available.

### **Easy Reach Handlebar Controls**

- ▶ High-comfort design for greater striper control and less operator fatigue
- Operator controls are located on the handle bars
- ▶ You can fine tune the striper without stopping



No-tool gun removal for spraying stencils or large solid areas.



Designed to deliver long straight lines



Easily paints circles and arcs.



### **Fold-Down Handle**

Fits into minivans, SUVs, even pickups with toppers!





### FieldLazer \$200

FieldLazer S200 field marker is built off of the same platform as Graco's industry leading LineLazer parking lot striper. This proven striper is chosen by field marking professionals looking for a versatile walk-behind striping solution capable of day to day field striping as well as occasional parking lot maintenance.



- ► Locks in-place for long, straight lines
- ▶ Swivels for corner-kicks, arcs, circles and maneuverability over any terrain



### FieldLazer S200

DESCRIPTION PART #: FieldLazer S200 24M609

SPECIFICATIONS:

MAX TIP SIZE: 0.027
MAX GPM (LPM): 0.75 (2.8)
MAX PSI (BAR): 3300 (227)

 ${\bf HONDA~GX}$ 

ENGINE CC (HP): 120 (4.0)
WEIGHT LB (KG): 145 (65)

### **Striping Capabilities**

- ► Turf or pavement
- Stencil
- Circles and arcs
- ► Long straight lines

### Endurance Advantage<sup>™</sup> Program

- Purchase an additional pump for 80% off list price or choose a free repair kit
- Quick on the job replacement
- ▶ No special tools required





FieldLazer R300

PART #:

24M605

**Complete** 

FieldLazer R300 Complete

DESCRIPTION

(1) LineDriver HD

SPECIFICATIONS:

(1) 15 Gallon Hopper

**OPERATING SPEED:** 

Forward: 0 to 10 mph (16 KM/H)

Reverse: 0 to 6 mph (10 KM/H)

INCLUDES: (1) FieldLazer R300



## FieldLazer R300 Complete

FieldLazer R300 Complete all-in-one ride-on field marking system consists of a LineDriver" HD ride-on system and FieldLazer R300 field marker. Riding is the ideal way for field marking professionals to reduce fatigue and increase productivity. Quickly stripe a large number of fields with razor sharp, long, straight lines.

### **Vibration Reduction** System

Anti-Vibration – Removes engine vibration, taking line quality to the next level! Up to 60% less vibration at the spray tip than the competition.

### **Patented Dual Foot Pedal System**





### **ProStart™ Engine Starting System** (Patented)

- ▶ Up to 50% less pulling effort to start the engine
- Outperforms manual pull and electric start systems especially in cold weather






### **Exclusive FlexBeam™ Break-A-Way Light System**

- Fully adjustable for all types of low light applications
- Break-A-Way design helps protect costly repairs and keeps you on the job

- Reduced fatigue and vibration
- Long, straight lines over any terrain





### **15 Gallon Hopper Included**

- Less paint refills
- Accepts 5 gallon buckets



FieldLazer R300 Complete

### **Swivel Front Wheel**

**Center Line Hitch Pivot** 

- ► Locks in-place for long, straight lines
- ► Swivels for corner-kicks, arcs, circles and maneuverability over any terrain

### FieldLazer R300

PART #: DESCRIPTION FieldLazer R300 24M607

SPECIFICATIONS:

MAX TIP SIZE: 0.036 (1 Gun) MAX GPM (LPM): 1.25 (4.7) MAX PSI (BAR): 3300 (227)

**HONDA GX** 

**ENGINE CC (HP):** 120 (4.0) WEIGHT LB (KG): 212 (96)



### LineDriver HD

DESCRIPTION PART #: **LineDriver HD** 262005

SPECIFICATIONS:

**FUEL** 

CAPACITY GAL (L): 0.95 (3.6)

**HONDA GX** 

**ENGINE CC (HP):** 200 (6.5) WEIGHT LB (KG): 275 (125)









### FieldLazer G400

FieldLazer G400

(Patent Pending)

DESCRIPTION PART #: FieldLazer G400 24M608

SPECIFICATIONS:

**OPERATING SPEED:** 

Forward: 0 to 10 mph (16 KM/H) Reverse: 0 to 6 mph (10 KM/H)

MAX TIP SIZE: 0.055

MAX GPM (LPM): 2.5 (9.5)

MAX PSI (BAR): 3300 (227)

HONDA GX

ENGINE CC (HP): 270 (9)
WEIGHT LB (KG): 450 (204)
STARTING SYSTEM: ProStart System

Fuel Capacity GAL (L): 1.4 (5.3)

An industry first, the **FieldLazer G400** all-in-one Stand-On Self-Propelled field marking machine. Riding upright is the ideal way for field marking professionals to improve visibility, reduce fatigue and increase productivity. Quickly stripe a large number of fields with razor sharp, long, straight lines.



**Front or Rear Mount Gun** 

Front for improved visibilityRear for tight radius

### **Smooth Ride Turf Tires**

- Reduced fatigue and vibration
- ▶ Long, straight lines over any terrain





- ▶ Throttle
- ▶ Choke
- ► Engine pull cord



- Reduced spraying hand fatigue
- Quick spray response
- Automatic dashed lines



### **Stand on or Flip-Up Platform**

- ► Comfortable shock absorbent platform
- Easy to get on and off
- ► Improved striping sight line
- ► Fold up for transport or storage




### **Self-Centering Steering**

- Locks-in-place for a straight line
- Automatically swivels to turn

### **User Interface Features**

- ► Electronic Pressure Control
- ► Paint consumption display
- Speed display
- ► Engine shut off





### **ACCESSORIES**

Graco's complete line of FieldLazer accessories provides solutions for all of your field marking needs.



### **LINE MARKING TIPS**

▶ FieldLazer SwitchTip™ - Crisp, uniform lines on a single pass - Ideal for line marking

LL5219 RAC° 5 SwitchTip - 2 inch Line

LL5323 RAC 5 SwitchTip - 4 inch Line

LL5421 RAC 5 SwitchTip - 4-8 inch Line

LL5423 RAC 5 SwitchTip - 4-8 inch Line

LL5625 RAC 5 SwitchTip - 8-12 inch Line

Additional tip sizes are available, see Graco's Airless Accessories catalog for more details.





### **STENCILING/LARGE AREA TIPS**

► RAC 5 SwitchTip - Overlapping fan pattern for uniform spraying of large areas or stencils - Ideal for stenciling, end zones, players boxes, etc.

286419 RAC 5 SwitchTip - 8-10 inch Line or Stenciling

286521 RAC 5 SwitchTip - 10-12 inch Line or Stenciling



### FIELDLAZER TIP EXTENSION

Available in three lengths. Tip extensions attach to the end of a FieldLazer spray gun for more comfortable stenciling

243296 15 inch Tip Extension

243297 20 inch Tip Extension

243298 30 inch Tip Extension



### FIELDLAZER TIP EXTENSION SWIVEL

▶ 180° Easy turn directional spray nozzle

235486 180° Swivel for Tip Extension



### **15 GALLON PAINT HOPPER**

Triple your paint capacity with this easy to clean Paint Hopper - Spend less time refilling and more time marking fields

241104 15 Gallon (57 L) Paint Hopper (FieldLazer R300 only)



► Available in two lengths. Pointer guide provides operator with an improved sight line for following a string or previous line on a re-stripe. Pointer folds up for improved storage.

277062 Short Pointer Guide – 25 inch (635 mm) (FieldLazer R300 and G400 Only) 277063 Long Pointer Guide – 40 inch (1016 mm) (FieldLazer R300 and G400 Only)

### **SPRAY SHIELD KIT**

► Attaches to the FieldLazer spray gun for improved line definition when spraying diluted paints. No-tool line width adjustment from 2 inch to 12 inch lines.

249081 Adjustable Spray Shield Kit

# The second second

#### **GUN ARM EXTENSION**

► Moves spray gun farther forward for striping directly up to goal posts, or other obstacles. 287591 Gun Arm Extension (FieldLazer S100 Only)



► Handlebar-mounted drink holder on one side and a sealed cup on the other, great for holding spare tips.

287584 On-Board Cup Holder (FieldLazer S100 Only)

### **AUXILIARY BATTERY KIT**

245343 Auxiliary Battery Kit (FieldLazer R300 Complete and LineDriver HD Only)

#### **2 GUN KITS**

► Add a second gun for spraying large areas in less time. Ideal for stenciling, end zones, players boxes, etc.

287553 2nd Gun Kit for FieldLazer R300 24M679 2nd Gun Kit for FieldLazer G400

### **AUXILIARY LIGHT KIT**

24M598 Auxiliary Light Kit for low light applications (FieldLazer G400 only)











		FIELDLAZER S100	FIELDLAZER S200	FIELDLAZER R300 COMPLETE	FIELDLAZER G400
MODEL	Part Number	248942	24M609	24M605	24M608
SPECIFICATIONS	Power	Honda GX35 4-Stroke	Honda GX120 4-Stroke	FieldLazer R300: Honda GX120 4-Stroke LineDriver HD: Honda GX200 4-Stroke	Honda GX270 4-Stroke
	Paint Pumping System	Graco High Pressure Airless Pump	Graco High Pressure Chromex Airless Pump	Graco High Pressure Chromex Airless Pump	Graco High Pressure Chromex Airless Pump
	Drive System	Push	Push	Hydro-Static (forward/reverse)	Hydro-Static (forward/reverse)
	Tires	Graco Tall-Wheels	(2) Graco Pneumatic Multi purpose Wheel (1) Front Swivel Wheel	(4) Large Turf Pneumatic Wheels (1) Front Swivel Wheel	(2) Large Turf Pneumatic Wheels (1) Front Swivel Wheel
	Paint Hopper Capacity gal (I)	N/A	5 (19)	15 (57)	25 (95)
	Clean-up Features	Sealed system for reduced flushing between use     Quick system flush     Siphon from disposable paint bucket	<ul> <li>Sealed system for reduced flushing between use</li> <li>Quick system flush</li> <li>Siphon from disposable paint bucket</li> </ul>	<ul> <li>Sealed system for reduced flushing between use</li> <li>Quick system flush</li> <li>Siphon from disposable paint bucket</li> </ul>	<ul> <li>Sealed system for reduced flushing between use</li> <li>Quick system flush</li> <li>Siphon from disposable paint bucket</li> </ul>
	Fuel Capacity	0.17 gal (0.63 l)	0.66 gal (2.5 l)	FieldLazer R300: 0.66 gal (2.5 l) LineDriver HD: 0.95 gal (3.6 l)	1.4 gal (5.3 l)
	Line Width in (cm)	2-12 (5-30)	2-12 (5-30)	2-12 (5-30)	2-12 (5-30)
	Max Speed: Forward mph (km/h) Reverse mph (km/h)	N/A	N/A	10 (16) 6 (10)	10 (16) 6 (10)
	Weight Dry lb (kg)	80 (36)	145 (65)	FieldLazer R300: 212 (96) LineDriver HD: 275 (125)	450 (2)
	Max Pressure psi (bar)	900 (62)	3300 (227)	3300 (227)	3300 (227)
	Electric Pressure Control	N/A	Included	Included	Included
	Flow gpm (lpm) with Striping Tip	0.50 (1.9)	0.75 (2.8)	1.25 (4.7)	2.5 (9.5)
	Adjustable Handle Height	Included	Included	Included	Included
	Fold-Down Handle	Included	N/A	N/A	N/A
	Left or Right Spray Configuration	N/A	Included	Included	Included
INCLUDED ACCESSORIES	Gun(s)	1	1	1	1
	Tip(s)	1	1	2	2
	Hose	1 X 25 ft	1 X 50 ft	1 X 50 ft	1 X 50 ft
	Spray Shields	Included	Accessory	Accessory	Accessory
	Side Marking Arm, Length	1 X 2 ft	1 X 2 ft	1 X 2 ft	1 X 2 ft
INCLI	Operation Manual	310810	311016	FieldLazer R300: 311017 LineDriver HD: 312540	3A2090

## STRIDE · RIDE · GLIDE ·

YOU DECIDE



"We've been running Graco machines for 7 years now.

They're easy to use, reliable and have saved us about 1/3 of the total cost of paint over other models."

— Curt Conkright National Sports Center Blaine, MN





### **ABOUT GRACO**

### PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

### **GRACO LOCATIONS**

### MAILING ADDRESS

P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

### **AMERICAS**

### **MINNESOTA**

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

### **EUROPE**

### **BELGIUM**

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700

Tel: 32 89 770 700 Fax: 32 89 770 777

### **ASIA PACIFIC**

#### **AUSTRALIA**

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500

Tel: 61 3 9468 8500 Fax: 61 <u>3 9468 8599</u>

#### CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088

Fax: 86 21 649 50077

#### INDIA

Graco Hong Kong Ltd. India Liaison Office Room 443, Augusta Point Regus Business Centre 53 Golf Course Road Gurgaon, Haryana India 122001 Tel: 91 124 435 4208

Fax: 91 124 435 4001

### JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

#### KOREA

Graco Korea Inc. Shinhan Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-si, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

### SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955