



# LineLazer<sup>®</sup>

Professional Airless Line Striping Systems



PROVEN QUALITY. LEADING TECHNOLOGY.



**There is no other pavement line striping system like the LineLazer Airless Professional Striping System.**

Quality. Performance. Durability. Productivity. Graco's LineLazer Airless Line Striping Systems deliver on all counts and lead the pavement striping industry.

The LineLazer family of striper has constantly been improved to meet the changing needs of the pavement marking industry, each time delivering substantial benefits to the professional striping contractor. The LineLazer System continues the tradition of delivering innovation and performance, creating an unmatched family of striper.

You can take pride in the fact that Graco gas sprayers are designed, manufactured, and assembled right here in the United States of America.



**What is the G4 Difference?** Simply put, it's Graco's commitment to provide you with the very best airless line striping systems, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco is the name to turn to today and as your business grows.

**PROVEN QUALITY**

*Each LineLazer striper boasts Graco quality and dependability that you can count on. For more than 20 years striping contractors have turned to Graco.*

**MAXIMUM PERFORMANCE**

*Each LineLazer System is engineered to deliver maximum performance for completing jobs quickly and efficiently.*

**INDUSTRY-LEADING WARRANTY**

*Graco backs each LineLazer System with a full 3-year warranty from defects in material and workmanship.*

**UNMATCHED PRODUCTIVITY**

*Superior design and innovative technology means you'll be getting the highest productivity in a line striping system.*

**Applications**



**AIRPORTS**

Airports offer professional striping contractors opportunities to add on to their existing striping jobs. The LineLazer System is sure to have the right striping solution.



**PARKING LOTS**

As larger lots become more popular, you can finish them faster and more efficiently with the LineLazer airless striper.



**INTERSECTIONS/ROADS**

From arrows and crosswalks to entire intersections, there are many ways to grow your business with LineLazer airless striper.



**CONSTRUCTION ZONES**

Construction zones offer additional incremental striping opportunities. The LineLazer striper's smaller size allows it to quickly put down stripes, insuring a safe construction zone.




**FEATURES FOUND "ONLY ON A GRACO" LINELAZER**



**Easy Out™ Pump Filter** The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



**Endurance Pump** Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue™ packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



**SmartControl™ Digital Tracking System** Track, measure, and control every aspect of your striping job.

- ▶ Digital display shows psi, mph, mils-instant average, lineal foot, gallons and mils-total
- ▶ Operates in three modes—striping, parking lot, and road—for the best performance no matter the job



**Honda® Engine** Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred

POWERED BY **HONDA**



**LineDriver® Attachment** Get higher productivity with less fatigue by riding instead of walking with the patented LineDriver and LineDriver HD attachments.

- ▶ The most user-friendly ride-on systems in the striping industry
- ▶ Dual foot pedal design for forward and reverse operation



**Front Swivel Wheel** Graco's Swivel Front Wheel Mount System with its Fat Track front tire allows maneuverability and ease of use.

- ▶ Easier "up to the curb" parking lot striping and hard-to-do curves
- ▶ Tapered locking pin design for years of dependable operation



**Auto-Layout™ System**

(Patent Pending) Graco's exclusive Auto-Layout System lets you finish jobs faster, with less hassle and less fatigue.

- ▶ Up to 30% faster with walk behind stripers
- ▶ Up to 50% faster when using the LineDriver attachment



**Advanced Vibration Reduction System** By removing engine vibration, Graco's Advanced Vibration Reduction System takes line quality to the *next level*.





# LineLazer 3400

The LineLazer 3400 is the preferred choice for contractors who are looking for professional performance in a 1-gun striper. This striper is ideal for parking lots and seal coating contractors, schools and park and recreation departments.

<b>DESCRIPTION</b>	<b>PART #</b>
LINELAZER 3400 (1-GUN)	248861

<b>SPECIFICATIONS</b>	
MAX TIP SIZE:	0.027
MAX GPM (LPM)	0.75 (2.8)
MAX PSI (BAR)	3300 (227)

HONDA GX ENGINE	
ENGINE CC (HP)	120 (4.0)
WEIGHT LBS (KG):	145 (65)



LineLazer 3400

## Features

### Easy Reach Controls

- ▶ Operator controls are located on the handle bars
- ▶ You can fine tune the striper without stopping

### Handle Bar Design

- ▶ High-comfort design for greater control and less operator fatigue
- ▶ Contoured grips comfortably fit your hands

### Electronic Pressure Control

- ▶ Accurate, tight tolerance system provides excellent line quality

### Chromex Pump Rod

- ▶ Long life rod treatment for the most demanding materials
- ▶ Four times harder than ordinary chrome

### Front Swivel Wheel

- ▶ Provides easier "up to the curb" parking lot striping and hard-to-do curves
- ▶ Tapered locking pin design for years of dependable operation



# LineLazer IV 3900/ 5900

Both the LineLazer IV 3900 and 5900 are the clear leaders for 2-gun professional stripers and are designed to deliver the most precise and consistent lines in the industry. Materials sprayed are most heavy, low VOC, waterborne and solvent striping paints. These stripers are ideal for mid- to heavy-duty line striping requirements.

<b>DESCRIPTION</b>	<b>PART #</b>
LINELAZER IV 3900 (1-GUN)	248862
LINELAZER IV 3900 (2-GUNS)	248863

<b>SPECIFICATIONS</b>	
MAX TIP SIZE:	0.036 1-GUN 0.025 2-GUNS

MAX GPM (LPM):	1.25 (4.7)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	212 (96)

<b>DESCRIPTION</b>	<b>PART #</b>
LINELAZER IV 5900 (1-GUN)	248866
LINELAZER IV 5900 (2-GUNS)	248867

<b>SPECIFICATIONS</b>	
MAX TIP SIZE:	0.043 1-GUN 0.029 2-GUNS

MAX GPM (LPM):	1.60 (6.0)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	160 (5.5)
WEIGHT LBS (KG):	232 (105)



LineLazer IV 5900

LineLazer IV 3900

## Features

### Advantage Drive System

- ▶ Heavy-duty clutch automatically adjusts and aligns for long life
- ▶ Hardened gears offer proven durability with quiet, efficient operation

### Lightweight Gun Holder

- ▶ To minimize gun movement caused by rough pavement conditions
- ▶ Durable, extruded aluminum design
- ▶ Spring-assisted cable return for positive gun shut-off

### Advanced Vibration Reduction System

- ▶ Removes engine vibration, taking line quality to the next level

### Rear Gun Mount System

- ▶ Place the guns near the rear axle for straighter long lines and smoother curved lines
- ▶ Great gun visibility, especially on glass bead applications





# LineLazer 130HS LineLazer IV 200HS

The LineLazer 130HS and the LineLazer IV 200HS are hydraulic airless strippers for your most demanding jobs. Start out with the 130HS and move up to the 200HS as you and your business grow. Materials sprayed are most heavy, low VOC, waterborne and rubberized traffic paints. These strippers are ideal for your large, continuous line striping requirements.

DESCRIPTION	PART #
LINELAZER 130HS (2-GUN UNIT ONLY)	287025

SPECIFICATIONS	
MAX TIP SIZE:	0.029
MAX GPM (LPM):	1.3 (4.9)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	240 (108)

DESCRIPTION	PART #
LINELAZER IV 200HS (1-GUN)	248870
LINELAZER IV 200HS (2-GUNS)	248871

SPECIFICATIONS	
MAX TIP SIZE:	0.047 1-GUN 0.034 2-GUNS
MAX GPM (LPM):	2.15 (8.14)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	200 (6.5)
WEIGHT LBS (KG):	277 (125)



LineLazer IV 200HS

## Features

### SmartControl Digital Tracking (LineLazer IV 200HS only)

- ▶ Provides consistent spraying pressure, reducing pulsation and line variations
- ▶ Digital Tracking System keeps you informed on the job

### Cooling Fan Design

- ▶ Exclusive design delivers more air flow to keep the hydraulic pump running cool

### High-Capacity Cooling System

- ▶ Larger hydraulic fluid reservoir keeps the system running cool
- ▶ Innovative cooling fins wrap down and under the reservoir for improved air flow

### Chromex Pump Rod

- ▶ Long life rod treatment is a proven performer
- ▶ Four times harder than ordinary chrome




High-Capacity Cooling System




See page 19 for units including Pressurized Bead Systems installed!

## Exclusive LineLazer IV Auto-Layout System

### Parking Lot Layout




Accurately places layout dots for you.



Simply connect the dots.

### Roadline Layout



Pre-mark and apply stripes in one pass.

## Features

### Finish Jobs Faster

- ▶ Up to 30% faster with walk behind strippers
- ▶ Up to 50% faster when using the LineDriver attachment

### Less Hassle, Less Fatigue

- ▶ No bending to mark the lines
- ▶ Eliminates the strain to read the tape measure
- ▶ Takes the hassle out of calculating distances and stall sizes
- ▶ Auto-Layout System automatically places dots for layout jobs—saving you time and money

### Pin Point Accuracy

- ▶ Accurate to 1/4 inch at 100 feet
- ▶ Simple to use every time

### NO MORE...

- ▶ Tape measures
- ▶ Calculation errors
- ▶ Guessing
- ▶ Sore backs
- ▶ Wasted energy
- ▶ Missed opportunities

### Digital Display

The display now shows psi, mph, mils-instant average, lineal foot, gallons and mils-total—all on one screen

Eliminate the hassle of manually laying out parking stalls and pre-marking road lines with the Auto-Layout System from Graco. Only Graco offers a “better way” to tackle the tough layout jobs with the Auto-Layout System.

### SmartControl Digital Tracking System

- ▶ Track, measure and control every aspect of your job



### Auto-Layout System Digital Displays



Stripping Mode



Parking Lot Mode



Road Mode



# LineLazer IV 3900/5900 Auto-Layout System




LineLazer IV 5900  
Auto-Layout System



LineLazer IV 3900  
Auto-Layout System

# LineLazer IV 200HS Auto-Layout System



3900/5900/200HS

High performance along with the exclusive Auto-Layout System makes the LineLazer 200HS the preferred striper for professional contractors who demand hydraulic power. This striper is ideal for large, heavy-duty line striping jobs including parking lots and road layout jobs.

DESCRIPTION	PART #
LINELAZER IV 200HS AUTO-LAYOUT SYSTEM (1-GUN)	253922
LINELAZER IV 200HS AUTO-LAYOUT SYSTEM (2-GUNS)	253955

SPECIFICATIONS	
MAX TIP SIZE:	0.047 1-GUN 0.034 2-GUNS
MAX GPM (LPM):	2.15 (8.14)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	200 (6.5)
WEIGHT LBS (KG):	277 (125)



DESCRIPTION	PART #
LINELAZER IV 3900 AUTO-LAYOUT SYSTEM (1-GUN)	253920
LINELAZER IV 3900 AUTO-LAYOUT SYSTEM (2-GUNS)	253953

SPECIFICATIONS	
MAX TIP SIZE:	0.036 1-GUN 0.025 2-GUNS
MAX GPM (LPM):	1.25 (4.7)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	120 (4.0)
WEIGHT LBS (KG):	212 (96)

DESCRIPTION	PART #
LINELAZER IV 5900 AUTO-LAYOUT SYSTEM (1-GUN)	253921
LINELAZER IV 5900 AUTO-LAYOUT SYSTEM (2-GUNS)	253954

SPECIFICATIONS	
MAX TIP SIZE:	0.043 1-GUN 0.029 2-GUNS
MAX GPM (LPM):	1.60 (6.0)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	160 (5.5)
WEIGHT LBS (KG):	232 (105)

## Features

- Easy Out Filter**
  - ▶ Filter screen removes with the cap for convenient, mess-free access
  - ▶ Flow-through design flushes faster for quicker color changes
  - ▶ Filters from the inside out
- Endurance Piston Pump**
  - ▶ Field proven performance
  - ▶ Delivers long life
- Exclusive Durable Can Holder System**
  - ▶ Folds up for on-board storage
  - ▶ Pivots forward or backwards if hit
  - ▶ Built to last in *all* conditions
- Rear Gun Mount System**
  - ▶ Ability to place the guns near the rear axle for applying straighter long lines and smoother curved lines
  - ▶ Combine with Auto-Layout System for one pass dot marking and line striping
- Advanced Vibration Reduction System**
  - ▶ Removes engine vibration, taking line quality to the next level



Auto-Layout Module

## Features

- Hydraulic Power**
  - ▶ Cool running hydraulic power
  - ▶ No-stall design
  - ▶ Field proven performance
- Rear Gun Mount System**
  - ▶ Ability to place the guns near the rear axle for applying straighter long lines and smoother curved lines
  - ▶ Combine with Auto-Layout System for one pass dot marking and line striping
- Exclusive Durable Can Holder Design**
  - ▶ Folds up for on-board storage
  - ▶ Built to last in *all* conditions
  - ▶ Proven performance
- Chromex™ Pump Rod**
  - ▶ Long life rod treatment
  - ▶ Four times harder than ordinary chrome
- Digital Display**
  - ▶ Display shows psi, mph, mils-instant average, lineal foot, gallons and mils-total—all on one screen
  - ▶ Simple push button design makes it easy to use
  - ▶ Back-lit feature can be seen in all conditions



Simple Connection System





# LineLazer IV 250sps

## Self-Propelled System

(Patent Pending)

### Introducing the Next Evolution in Line Striping . . .

Graco now offers the industry's first stand-on, self-propelled striping unit. The LineLazer IV 250sps is the stand-on striping solution for improved visibility and razor sharp lines.

DESCRIPTION	PART #
LINELAZER IV 250SPS (2-GUN UNIT)	24F307
LINELAZER IV 250SPS (2-GUN UNIT WITH PRESSURIZED BEAD SYSTEM INSTALLED) • 1 BEAD TANK	16V473
LINELAZER IV 250SPS (2-GUN UNIT WITH PRESSURIZED BEAD SYSTEM INSTALLED) • 2 BEAD TANKS	24U561
<b>SPECIFICATIONS</b>	
MAX TIP SIZE:	0.055 1-GUN 0.039 2-GUNS
MAX GPM (LPM):	2.5 (9.5)
MAX PSI (BAR):	3300 (227)
HONDA GX ENGINE CC (HP):	270 (9.0)
WEIGHT LBS (KG):	600 (270)



## Features

### Automatic Gun Control System

- ▶ Manual or automatic paint and bead guns with the push of a button

### Electric Clutch System

- ▶ Disengages engine for fast starting

### 25-Gallon (95 L) Paint Hopper

- ▶ Extended striping time with large capacity hopper

### Honda 9 HP GX Engine

- ▶ Industry proven performance with the most demanded engine by contractors

POWERED BY HONDA



**Dashboard Controls** Throttle Control, Remote Choke, #1 Gun, #2 Gun, Power On/Off, Pressure Control, and LCD Display.



**Auto-Layout System** New automatic gun system allows marking to be done with guns rather than with the assistance of aerosol cans.

### Rear Gun Mount System

Provides straighter long lines—perfect for bike paths, airports and other long line jobs.



### Graco Hydraulic Motor System

- ▶ Graco's no-stall hydraulic motor for uninterrupted performance

### Flex Plus® Guns

- ▶ Industry proven paint guns with LineLazer tips provide precise lines

### Endurance Piston Pump System

- ▶ Long life pump provides precise flow for wide range of striping materials

### Rear Gun Mount System

- ▶ Provides straighter long lines—perfect for bike paths, airports and other long line jobs

### Self-Centering Front Wheel

- ▶ Eliminates one user interface for simpler operation
- ▶ Foam filled for stability



### Rear Stand-on or Flip-up Platform System



Integrated platform provides ergonomic place for standing, great sight line and all-day comfort or flip-up platform for walk-behind operation.



250sps SELF-PROPELLED

(Patent Pending)



# LineLazer IV 250DC

## Self-Propelled System

Spray two colors *simultaneously* with Graco's new LineLazer IV 250DC. Ideally suited for airports, municipalities, DOTs or anyone who needs to spray highlight lines or other dual-color striping. The LineLazer IV 250DC rewrites line-striping productivity and flexibility by spraying two colors simultaneously in patterns as wide as 36 inches.



DESCRIPTION	PART #
LINELAZER IV 250DC (2 PAINT GUNS)	24U242

SPECIFICATIONS	
MAX TIP SIZE:	0.055-1 GUN 0.039-2 GUNS

MAX GPM (LPM):	2.50 (9.5)
MAX PSI (BAR):	3300 (227)

HONDA GX ENGINE CC (HP):	390 (13) ELECTRIC START
-----------------------------	----------------------------

DESCRIPTION	PART #
LINELAZER IV 250DC (2 PAINT AND BEAD GUNS WITH PRESSURIZED BEAD SYSTEM; 2 BEAD TANKS—INSTALLED)	24U243

SPECIFICATIONS	
MAX TIP SIZE:	0.055-1 GUN 0.039-2 GUNS

MAX GPM (LPM):	2.50 (9.5)
MAX PSI (BAR):	3300 (227)

HONDA GX ENGINE CC (HP):	390 (13) ELECTRIC START
-----------------------------	----------------------------

DESCRIPTION	PART #
(3 PAINT AND BEAD GUNS WITH PRESSURIZED BEAD SYSTEM; 2 BEAD TANKS—INSTALLED)	24U820

SPECIFICATIONS	
MAX TIP SIZE:	0.055-1 GUN 0.039-2 GUNS 0.031-3 GUNS

MAX GPM (LPM):	2.50 (9.5)
MAX PSI (BAR):	3300 (227)

HONDA GX ENGINE CC (HP):	390 (13) ELECTRIC START
-----------------------------	----------------------------



AIRPORTS



ROAD LINES




INTERSECTIONS



### Features



- Dual Graco Hydraulic Motors**
  - ▶ No-Stall design provides uninterrupted performance
- Dual Endurance® Displacement Pumps**
  - ▶ Provides precise flow for a wide range of striping materials
- Exclusive Self-Centering Front Wheel**
  - ▶ Provides simpler operation
- Exclusive Stand-On Platform**
  - ▶ Provides ergonomic place for standing, great view and all-day comfort
- Electric Gun Control**
  - ▶ Manual or automatic paint and bead guns with a push of a red button
- Dual 15-Gallon Paint Hoppers**
  - ▶ Simultaneously spray two colors and refill less often
- Front or Rear Gun Mount**
  - ▶ Use up to six guns to create straighter long lines
- Remote SmartControl® System**
  - ▶ Track, measure and control every aspect of your job via a digital display
- Flex Plus™ Guns**
  - ▶ Industry proven paint guns provide precise lines
- Graco Bead Guns**
  - ▶ Reliable design delivers proven performance
- Dual Bead Tanks**
  - ▶ Holds up to 240 lbs of beads (120 lbs each)
- Honda 13 HP GX Engine** POWERED by HONDA
  - ▶ Electric start for ease of use





# LineDriver/ LineDriver HD

## Why walk when you can ride?

Graco offers two high performance LineDriver attachments to connect to your LineLazer striper to double your striping productivity. The LineDriver and LineDriver HD attachments provide the most innovative, user-friendly ride-on systems for the professional striping contractor.

<b>DESCRIPTION</b> LINEDRIVER	<b>PART #</b> 262004
<b>SPECIFICATIONS</b>	
<b>OPERATING SPEED:</b>	UP TO 10 MPH (16 KM/H)
	REVERSE 6 MPH (10 KM/H)
<b>FUEL CAPACITY (LTR):</b>	0.95 (3.6)
<b>HONDA GX ENGINE CC (HP):</b>	160 (5.5)
<b>WEIGHT LBS (KG):</b>	265 (120)
<b>DESCRIPTION</b> LINEDRIVER HD	<b>PART #</b> 262005
<b>SPECIFICATIONS</b>	
<b>OPERATING SPEED:</b>	UP TO 10 MPH (16 KM/H)
	REVERSE 6 MPH (10 KM/H)
<b>FUEL CAPACITY (LTR):</b>	0.95 (3.6)
<b>HONDA GX ENGINE CC (HP):</b>	200 (6.5)
<b>STARTING SYSTEM:</b>	PROSTART
<b>WEIGHT LBS (KG):</b>	275 (125)



LineDriver

LineDriver HD

## Features

### Exclusive FlexBeam™ Break-A-Way Light System

- ▶ Fully adjustable for all types of low light applications
- ▶ Break-A-Way design helps protect against costly repairs and keeps you on the job



### Patented Dual Foot Pedal System

- ▶ For forward and reverse. Move between jobs without having to PUSH!



### Exclusive ProStart™ Engine Starting System

- ▶ Up to 50% less pulling effort to start the engine—no more broken recoils
- ▶ Outperforms manual pull and electric start systems when the weather starts turning cooler
- ▶ Patent No. 6883633

### Honda Engine

Compact, lightweight and powerful, Honda engines are reliable, technologically advanced and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred

POWERED BY HONDA



## ENDURANCE™ ADVANTAGE PROGRAM

### A SOLUTION TO KEEP YOU STRIPING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco LineLazer line striper, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and striping! Simply follow the registration instructions included with your sprayer.



## WARRANTY

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Stripe with the confidence that you will probably never need to use Graco's warranty, but if you do . . . *we will be there.*



**3-YEAR WARRANTY** Coverage against defects in materials and workmanship on the entire striper.

**30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE** *Dissatisfied?* Simply return the striper to the place you bought it within 30 days. They'll either exchange it for an identical striper or you can trade up to a larger striper at an additional cost.

**DOWNTIME ELIMINATOR PROGRAM** Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

**NOBODY ELSE BUILDS STRIPERS LIKE THIS.**

LINEDRIVERS/WARRANTY



# Accessories

AIRLESS LINE STRIPING SYSTEMS



**GUNS AND HOSE KITS** Airless hose connects directly to gun through spring guard mount.

- 248157 FlexPlus Striping Gun with LL5319 Tip
- 245225 LineLazer Hose with E-nickel fittings, 3/8 in x 50 ft, 3300 psi
- 245798 LineLazer Hose with E-nickel fittings, 1/4 in x 7 ft, 3300 psi
- 249080 Coupled Hose, 1/4 in x 50 ft, 3300 psi (LineLazer 3400 only)
- 124884 LineLazer Hose with E-nickel fittings, 3/8 in x 20 ft, 3300 psi (LineLazer IV 250SPS only)
- 191239 LineLazer Hose with E-nickel fittings, 3/8 in x 12 ft, 3300 psi (LineLazer IV 250DC only)

## PAINT GUN KITS

- 287553 Complete kit for two-gun striping with the LineLazer IV models (5900, 200HS)
- 287553 Complete kit for two-gun striping with the LineLazer III models (3900, 5900)
- 241284 Complete kit for two-gun striping with the LineLazer II models (3900, 5900)
- 24M679 Complete kit for two-gun striping with the LineLazer IV (250SPS striper only)
- 24P930 Complete kit for adding 3rd or 4th gun for LineLazer IV (250SPS/250DC stripers only)

**BEAD GUN KIT** For use with LineLazer IV 200HS and LineLazer IV 250SPS and 250DC

- 16R963 Complete kit for adding bead gun. Includes hardware and hose.



**STENCIL KITS** For use with LineLazer IV 200HS, LineLazer 250SPS/250DC

- 24G778 Paint Gun Stencil Kit  
Includes: (1) Paint Gun and 1/4 in x 50 ft Hose and Mounting Brackets
- 238957 Hand Bead Stencil Kit (Use with the EZ Bead Pressurized Dispensing System Only)  
Includes: (1) Bead Gun, (2) 3/4 in x 24 ft Clear Hoses, .234 in / .35 degree Tip, 1 ft Extension Tube and Mounting Brackets

## LINELAZER LINE POINTERS

- 277062 Short Pointer Guide – 25 in for LineLazer III and LineLazer IV models
- 277063 Long Pointer Guide – 40 in for LineLazer III and LineLazer IV models
- 24N162 Adjustable Pointer Guide – 40 in retractable pointer for LineLazer IV 250SPS and 250DC

**LINELAZER IV LIGHT KIT** Provides improved visibility in low-light conditions.

- 24M598 High-output Light (LineLazer IV 250SPS and 250DC)



15 Gallon Hopper



25 Gallon Hopper



Dual 15 Gallon Hoppers

**PAINT HOPPERS** Spend less time refilling and more time striping.

- 241104 15-Gallon for LineLazer IV 3900, 5900, 130HS and 200HS
- 241103 15-Gallon for LineLazer 3500, 5000
- 278720 15-Gallon Hopper (LineLazer IV 250DC only)
- 278452 25-Gallon Hopper (LineLazer IV 250SPS only)
- 287590 Plastic Hopper Cover (LineLazer 130HS, 200HS, 3900, 5900)
- 24V687 Plastic Hopper Cover (LineLazer IV 250DC Dual Hopper) 1 each
- 24V781 Dual Plastic Hopper Cover Kit (LineLazer IV 250DC Dual Hopper) 2 included in kit
- 24V782 Dual 15-Gallon Hopper Complete Kit (Includes: 2 hoppers, 2 covers, 2 grommets and all hardware)

**SPRAY SHIELD KIT** Attaches easily to any LineLazer line striper to contain the spray pattern when applying turf paints.

- 249081 Adjustable Spray Shield Kit



## WHEEL REPLACEMENTS

- 241105 Fat Track Retro Kit for LineLazer 3500, 5000
- 113479 Front wheel replacement for LineLazer IV 250SPS (Pneumatic)
- 16W284 Front wheel replacement for LineLazer IV 250SPS and 250DC (Foam Filled)

**ALL-TERRAIN TIRES (TURF)** Wide, low pressure all-terrain tires.

- 249083 All-terrain tire for LineDriver, LineDriver HD and LineLazer IV 250SPS and 250DC. Contains 2 tires, rim-mounted.
- 249082 All-terrain tire for LineLazer IV 3900, 5900, 130HS, 200HS. Contains 2 tires, rim-mounted; wheel bearings. Does not work with LineLazer IV Auto-Layout.

## HITCH KIT

- 245321 Hitch Kit for LineLazer III and IV

## BATTERY KIT

- 245343 LineDriver Auxiliary Battery Kit



Part No.	Product Description	Unit/Bead System Compatibility Chart				
		LineLazer				
<b>EZ Bead Gravity Dispensing System (Kits)</b>		3500, 3900, 5900	130HS, 200HS (Made before 1-1-13)	130HS, 200HS (Made after 1-1-13)	250SPS (Made before 1-1-13)	250SPS/250DC (Made after 1-1-13)
<b>6 Inch</b>						
277064	Complete 2-Bead Dispenser System includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets	●	●	●	●	●
24M838	Complete 2-Bead Dispenser System includes: (2) 6 in Bead Dispensers, (2) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets				●	●
277065	Complete 1-Bead Dispenser System includes: (1) 6 in Bead Dispensers, (1) Wind Deflectors, (1) Hose, (1) Bead Hopper with brackets	●	●	●	●	●
24M641	Complete 1-Bead Dispenser System includes: (1) 6 in Bead Dispensers, (1) Wind Deflectors, (1) Hose, (1) Bead Hopper with brackets				●	●
277067	Replacement Kit includes: (1) 6 in Bead Dispenser, (1) Hose, (1) Wind Deflector	●	●	●	●	●
<b>12 Inch</b>						
24N265	Complete 1-Bead Dispenser System includes: (1) 12 in Bead Dispensers, (1) Wind Deflectors, (2) Hoses, (1) Bead Hopper with brackets	●	●	●	●	●
24N267	Complete 1-Bead Dispenser System includes: (1) 12 in Bead Dispensers, (1) Wind Deflectors, (1) Hose, (1) Bead Hopper with brackets				●	●
245516	Replacement Kit includes: (1) 12 in Bead Dispenser, (1) Hose, (1) Wind Deflector	●	●	●	●	●
		LineLazer	LineLazer IV	LineLazer IV	LineLazer IV	LineLazer IV
<b>EZ Bead Pressurized Dispensing System (Kits)</b>		3500, 3900, 5900	200HS (Made before 1-1-13)	200HS (Made after 1-1-13)	250SPS (Made before 1-1-13)	250SPS/250DC (Made after 1-1-13)
16R962	Complete 1-Bead Gun Pressurized System includes: (1) Bead Gun, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank				●	●
16R961	Complete 2-Bead Gun Pressurized System includes: (2) Bead Guns, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank				●	●
16R955	Complete 1-Bead Gun Pressurized System includes: (1) Bead Gun, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank		●	●		
16R960	Complete 2-Bead Gun Pressurized System includes: (2) Bead Guns, (1) Bead Tank with brackets, (1) Compressor and (1) Air Tank		●	●		
16U439	2nd Pressurized Bead Tank Kit includes: (1) Bead Tank with mounting hardware				●	●
16R963	Pressurized Bead Gun Kit includes: (1) Bead Gun, (1) .234 and (1) .281 Tip, clear hose and hardware		●	●	●	●
16U272	Retro-Kit needed for all LL200HS and LL250SPS built before January 2013. Kit includes: New Pulley and gun mounting bar/brackets for up to 2 guns		●		●	

# SwitchTip™ Spray TIPS

Graco's complete line of LineLazer SwitchTip Spray Tips have the right tip for all your striping needs.



**LineLazer RAC 5 SwitchTip Spray Tips • 2 in (51 mm)**

- 286113 LineLazer SwitchTip - Light film build and sport court applications
- LL5213 LineLazer SwitchTip - Heavy film build and sport court applications
- LL5215 LineLazer SwitchTip - Light film build and sport court applications
- LL5217 LineLazer SwitchTip - Medium film build and alkyd paints applications
- LL5219 LineLazer SwitchTip - Heavy film build and alkyd paints applications

**LineLazer RAC 5 SwitchTip Spray Tips • 4 in (102 mm)**

- LL5315 LineLazer SwitchTip - Light film build for most traffic paints
- LL5317 LineLazer SwitchTip - Medium film build for most traffic paints
- LL5319 LineLazer SwitchTip - Medium film build for most traffic paints
- LL5321 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5323 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5325 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5327 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5329 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5331 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5333 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5335 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5339 LineLazer SwitchTip - Heavy film build for most traffic paints
- LL5343 LineLazer SwitchTip - Heavy film build for most traffic paints

**LineLazer RAC 5 SwitchTip Spray Tips • 4-8 in (102-204 mm)**

- LL5417 LineLazer SwitchTip - Light film build for all paints and high solids traffic paints
- LL5419 LineLazer SwitchTip - Medium film build for all paints and high solids traffic paints
- LL5421 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5423 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5425 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5427 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5429 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5431 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5435 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5439 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints
- LL5443 LineLazer SwitchTip - Heavy film build for all paints and high solids traffic paints

**LineLazer RAC 5 SwitchTip Spray Tips • 8-12 in (204-305 mm)**

- LL5621 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5623 LineLazer SwitchTip - Heavy film build and all traffic paint applications
- LL5625 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5627 LineLazer SwitchTip - Medium film build and all traffic paint applications
- LL5629 LineLazer SwitchTip - Heavy film build and all traffic paint applications
- LL5631 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5635 LineLazer SwitchTip - Heavy film build and all traffic paint applications
- LL5639 LineLazer SwitchTip - Light film build and all traffic paint applications
- LL5643 LineLazer SwitchTip - Light film build and all traffic paint applications



# LINELAZER/LINEDRIVER SPECIFICATIONS



		LineLazer 3400	LineLazer IV 3900	LineLazer IV 3900 Auto-Layout System	LineLazer 130 <sub>HS</sub>	LineLazer IV 5900	LineLazer IV 5900 Auto-Layout System	LineLazer IV 200 <sub>HS</sub>	LineLazer IV 200 <sub>HS</sub> Auto-Layout System	LineLazer IV 250 <sub>Sps</sub> Self-Propelled System	LineLazer IV 250 <sub>Dc</sub> Dual Color System	
MODEL	Part Number	248861 1-Gun	248862 1-Gun 248863 2-Guns	253920 1-Gun 253953 2-Guns	— 287025 2-Gun Unit Only	248866 1-Gun 248867 2-Guns	253921 1-Gun 253954 2-Guns	248870 1-Gun 248871 2-Guns	253922 1-Gun 253955 2-Guns	— 24F307 2-Gun Unit Only	24U242 2-Gun Unit Only 24U810 3-Gun Unit Only	
	SPECIFICATIONS											
SPECIFICATIONS	Maximum Tip Size	0.027	0.036	0.036	0.029	0.043	0.043	0.047	0.047	0.055	0.055	
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	
	Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)	1.25 (4.7)	1.30 (4.9)	1.60 (6.0)	1.60 (6.0)	2.15 (8.14)	2.15 (8.14)	2.50 (9.5)	2.50 (9.5)	
	Honda GX Engine cc (hp)	120 (4.0)	120 (4.0)	120 (4.0)	120 (4.0)	160 (5.5)	160 (5.5)	200 (6.5)	200 (6.5)	270 (9.0)	390 (13.0)	
	Weight lbs (kg)	145 (65)	212 (96)	212 (96)	240 (108)	232 (105)	232 (105)	277 (125)	277 (125)	600 (270)	864 (392)	
	Gun Support:	1-Gun 2-Guns 3-Guns	0.027 — —	0.036 0.025 —	0.036 0.025 —	0.037 0.029 —	0.043 0.029 —	0.043 0.029 —	0.047 0.034 —	0.047 0.034 —	0.055 0.039 —	0.055 4-Gun 0.027 0.039 5-Gun 0.023 0.031 6-Gun 0.021
	Applications		Turf & Pavement	Turf & Pavement	Pavement	Turf & Pavement	Turf & Pavement	Pavement	Turf & Pavement	Pavement	Turf & Pavement	Pavement
INCLUDES	Gun	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	Flex Plus	
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless	3/8 in x 20 ft (9.5 mm x 6.0 m) BlueMax II Airless	3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Airless	
	Tip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	LineLazer RAC 5 SwitchTip	
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	50 Mesh Easy Out	50 Mesh Easy Out	50 Mesh Easy Out	50 Mesh Easy Out	
PUMP	Type	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System	
	Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess	
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	Chromex	
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST	
	Packings	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	
TRACKING FUEL TANK	Tracking System	N/A	SmartControl	Auto-Layout	N/A	SmartControl	Auto-Layout	SmartControl	Auto-Layout	SmartControl 1.0	SmartControl	
	Fuel Capacity gal (ltrs)	0.66 (2.5)	0.66 (2.5)	0.66 (2.5)	0.66 (2.5)	0.95 (3.6)	0.95 (3.6)	0.95 (3.6)	0.95 (3.6)	1.40 (5.3)	1.40 (5.3)	



		LineDriver	LineDriver HD
MODEL	Part Number	262004	262005
	Operating Speed: Forward mph (km/h)	to 10 (16)	to 10 (16)
	Reverse mph (km/h)	to 6 (10)	to 6 (10)
	Honda GX Engine Size cc (hp)	160 (5.5)	200 (6.5)
	Weight lb (kg)	265 (120)	275 (125)
SPECIFICATIONS	Fuel Capacity gal (ltr)	.95 (3.6)	.95 (3.6)
	Engine Starting System	Manual Pull	ProStart

		LineLazer IV 200 <sub>HS</sub>	LineLazer IV 200 <sub>HS</sub>	LineLazer IV 250 <sub>Sps</sub>	LineLazer IV 250 <sub>Sps</sub>	LineLazer IV 250 <sub>Dc</sub>	LineLazer IV 250 <sub>Dc</sub>
Complete LineLazer Units	Part No.	16V596 1-Gun	16V597 2-Gun	16V473 2-Gun	24U561 2-Gun	24U243 2-Gun	24U820 3-Gun
	Includes:	LineLazer IV 200 <sub>HS</sub> AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 200 <sub>HS</sub> AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 250 <sub>Sps</sub> AND Pressurized Bead System 1 Bead Tank INSTALLED	LineLazer IV 250 <sub>Sps</sub> AND Pressurized Bead System 2 Bead Tanks INSTALLED	LineLazer IV 250 <sub>Dc</sub> AND Pressurized Bead System 2 Bead Tanks Installed	LineLazer IV 250 <sub>Dc</sub> AND Pressurized Bead System 2 Bead Tanks Installed







## ABOUT GRACO

### PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

## GRACO LOCATIONS

### MAILING ADDRESS

P.O. Box 1441  
Minneapolis, MN 55440-1441  
Tel: 612-623-6000  
Fax: 612-623-6777

### AMERICAS

#### MINNESOTA

Worldwide Headquarters  
Graco Inc.  
88-11th Avenue N.E.  
Minneapolis, MN 55413

### EUROPE

#### BELGIUM

European Headquarters  
Graco N.V.  
Industrieterrein-Oude Bunders  
Slakweidestraat 31  
3630 Maasmechelen,  
Belgium  
Tel: 32 89 770 700  
Fax: 32 89 770 777

### ASIA PACIFIC

#### AUSTRALIA

Graco Australia Pty Ltd.  
Suite 17, 2 Enterprise Drive  
Bundoora, Victoria 3083  
Australia  
Tel: 61 3 9468 8500  
Fax: 61 3 9468 8599

#### CHINA

Graco Hong Kong Ltd.  
Shanghai Representative Office  
Building 7  
1029 Zhongshan Road South  
Huangpu District  
Shanghai 200011  
The People's Republic of China  
Tel: 86 21 649 50088  
Fax: 86 21 649 50077

### INDIA

Graco Hong Kong Ltd.  
India Liaison Office  
Room 443, Augusta Point  
Regus Business Centre 53  
Golf Course Road  
Gurgaon, Haryana  
India 122001  
Tel: 91 124 435 4208  
Fax: 91 124 435 4001

### JAPAN

Graco K.K.  
1-27-12 Hayabuchi  
Tsuzuki-ku  
Yokohama City, Japan 2240025  
Tel: 81 45 593 7300  
Fax: 81 45 593 7301

### KOREA

Graco Korea Inc.  
Shinhan Bank Building  
4th Floor #1599  
Gwanyang-Dong, Dongan-Ku,  
Anyang-si, Korea 431-060  
Tel: 82 31 476 9400  
Fax: 82 31 476 9801

## SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

**800-690-2894** or visit us at [www.graco.com](http://www.graco.com).

Graco Inc. is registered to I.S. EN ISO 9001

North America  
Customer Service  
800-690-2894  
Fax 800-334-6955